


MODEL:IG10600094C-MN2



OWNER'S MANUAL

The Horizon 10'x10' Hard Top Gazebo W/ Solar LED light

TABLE OF CONTENTS

ASSEMBLY GUIDE.....02
USING YOUR PRODUCE.....04
December 31, 2025

QUESTIONS?



























 **E-mail:** support@modernshade.org



 **Toll Free Number:** 1-888-666-3070

 **Mon-Fri:** 9:00 AM - 5:00 PM PST.










ASSEMBLY GUIDE

PARTS LIST

A1 Post 1 (2 Piece) 	A2 Post 2 (2 Piece) 	B3 Foot Base 3 (4 Piece) 	C3 Foot Cover 3 (4 Piece) 	D1 Cross Beam 1 (4 Piece) 	D2 Cross Beam 2 (4 Piece) 
P0010000101	P0010000201	P0030000101	P0020000101	P0040000501	P0040000601
E1 Support Bracket 1 (4 Piece) 	E2 Support Bracket 2 (4 Piece) 	F1 Roof Rib 1 (4 Piece) 	G1 Middle Cross Beam 1 (4 Piece) 	H2 Top Beam 2 (8 Piece) 	J1 Roof Support 1 (4 Piece) 
P0050000101	P0050000201	P0070000101	P0080000101	P0090000201	P0090000901
J3 Roof Support 3 (4 Piece) 	J5 Roof Support 5 (4 Piece) 	J6 Roof Support 6 (4 Piece) 	K3 Connector 3 (8 Piece) 	K4 Connector 4 (12 Piece) 	K7 Connector 7 (4 Piece) 
P0090001301	P0090001501	P0090001601	P0060000501	P0060000601	P0110000501
K12 Connector 12 (4 Piece) 	K13 Connector 13 (4 Piece) 	K14 Connector 14 (4 Piece) 	K15 Connector 15 (4 Piece) 	K16 Connector 16 (4 Piece) 	K17 Connector 17 (1 Piece) 
P0060000101	P0110000101	P0110000301	P0060000301	P0060000401	P0060001101
L1 Roof Rib Cover 1 (4 Piece) 	L2 Roof Rib Cover 2 (4 Piece) 	L13 Roof Cover 13 (1 Piece) 	M12 Mosquito Net Rod 12 (8 Piece) 	N Hook (1 Piece) 	Q Light (4 Piece) 
P0120000101	P0120000201	P0120000401	P0100000501	P1000000100	P1000000200
Z2 Roof Plate 2 (4 Piece) 	Z3 Roof Plate 3 (4 Piece) 	Z4 Roof Plate 4 (4 Piece) 	Z5 Roof Plate 5 (4 Piece) 	Z6 Roof Plate 6 (4 Piece) 	Z7 Roof Plate 7 (4 Piece) 
P0130000299	P0130000399	P0130000499	P0130000599	P0130000699	P0130000799

<p>Z13 Roof Plate 13 (4 Piece)</p> 	<p>Z14 Roof Plate 14 (4 Piece)</p> 
<p>P0130001399</p>	<p>P0130001499</p>

HARDWARE

<p>AA Bolt M6*20 268+12 (Piece)</p> 	<p>BB Bolt M6*45 28+3 (Piece)</p> 	<p>CC Bolt M4*20 8+1 (Piece)</p> 	<p>DD M6*16 Flat washer 304+14 (Piece)</p> 	<p>EE Sealant Washer M6 12+1 (Piece)</p> 	<p>FF Concrete Anchor M6*60 8 (Piece)</p> 
<p>H0008008036</p>	<p>H0008008066</p>	<p>H0008008067</p>	<p>H0008008057</p>	<p>H0008008060</p>	<p>H0008008095</p>
<p>GG Plastic Clip 8 (Piece)</p> 	<p>HH Double Open End Wrench M6/M4 2 (Piece)</p> 	<p>JJ M6 Allen Key 2 (Piece)</p> 	<p>KK Bolt M6*15 8+1 (Piece)</p> 	<p>NN M6 Hex drill bit 1 (Piece)</p> 	
<p>H0008008071</p>	<p>H0008008072</p>	<p>H0008008133</p>	<p>H0008008001</p>	<p>H0008008209</p>	

IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

SAFETY ALERT KEY

⚠ DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

⚠ WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

⚠ CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

NOTICE

Indicates information considered important, but not hazard-related (e.g. messages related to property damage).

ASSEMBLY INSTRUCTIONS


•Please carefully unpack each of the components and hardware, check the components against the parts list and make sure there are no missing parts. Lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

⚠ CAUTION

Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

STEP 01 Slide foot base **B3** and foot cover **C3** onto post **A1**, use two (2) **[AA]** bolts and two (2) **[DD]** flat washers to attach foot base **B3** to post **A1**. Repeat with the other post **A1**. Slide foot base **B3** and foot cover **C3** onto post **A2**, use two (2) **[AA]** bolts and two (2) **[DD]** flat washers to attach foot base **B3** to post **A2**. Repeat with the other post **A2**.


[AA] x 8
[DD] x 8



- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.


STEP 02 Slide cross beam **D1** and **D2** onto connector **K12**. Then slide connector **K13** onto this assembly. Use five (5) **[AA]** bolts and five (5) **[DD]** flat washers to secure cross beam assembly **D1 D2**. Repeat with the other three (3) cross beam assemblies.

[AA] x 20
[DD] x 20




STEP 03 Use four (4) **[AA]** bolts and four (4) **[DD]** flat washers to attach cross beam assembly **D1 D2** to post **A1** and **A2**. Repeat with the other cross beam assembly **D1 D2**.

[AA] x 8
[DD] x 8




STEP 04 Use four (4) **[AA]** bolts and four (4) **[DD]** flat washers to attach cross beam assembly **D1 D2** to post **A1** and **A2**. Repeat with the other cross beam assembly **D1 D2**.

[AA] x 8
[DD] x 8




STEP 05 CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.



STEP 06 Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) connector 14 [K14] to cross beam [D1] and [D2]. Repeat with the other three (3) connector [K14] with cross beam [D1] and [D2]. Use three (3) [AA] bolts and three (3) [DD] flat washers to attach one (1) connector 16 [K16] to post [A1]. Repeat with the other three (3) connector [K16] with post [A1] and [A2].

[AA] x 20
[DD] x 20




STEP 07 Use two (2) [AA] bolts, two (2) [BB] bolts and four (4) [DD] flat washers to attach one (1) support bracket 1 [E1] to post [A1] / [A2] and cross beam assembly [D1] [D2].

Repeat with the other three (3) support bracket [E1].

Use two (2) [AA] bolts, two (2) [BB] bolts and four (4) [DD] flat washers to attach one (1) support bracket 2 [E2] to post [A1] / [A2] and cross beam assembly [D1] [D2].

Repeat with the other three (3) support bracket [E2].


[AA] x 16
[BB] x 16
[DD] x 32



STEP 08 Use four (4) [AA] bolts and four (4) [DD] flat washers to attach one (1) roof rib [F1] to connector 16 [K16].


Repeat with the other three (3) roof rib [F1].

[AA] x 16
[DD] x 16




STEP 09 Use four (4) [AA] bolts and four (4) [DD] flat washers to attach connector 17 [K17] to roof rib [F1].

[AA] x 4
[DD] x 4




STEP 10 Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) roof support 1 [J1] to roof rib [F1]. Repeat with the other three (3) roof support [J1].

[AA] x 8
[DD] x 8




STEP 11 Use two (2) [AA] bolt and two (2) [DD] flat washer to attach two (2) connector 3 [K3] to middle cross beam [G1]. Repeat with the other six (6) connector [K3]. Use two (2) [AA] bolt and two (2) [DD] flat washer to attach one (1) connector 15 [K15] to middle cross beam [G1]. Repeat with the other three (3) connector [K15].

[AA] x 16
[DD] x 16




STEP 12 Use one (1) [AA] bolt and one (1) [DD] flat washer to attach middle cross beam [G1] to roof support [J1]. Use two (2) [AA] bolt and two (2) [DD] flat washer to attach connector [K15] to cross beam assembly [D1] [D2]. Repeat with the other three (3) middle cross beam [G1].

[AA] x 12
[DD] x 12




STEP 13 Use one (1) [AA] bolt and one (1) [DD] flat washer to attach one (1) connector [K4] to roof rib [F1]. Make sure to secure [K4] upwards. Repeat with the other eleven (11) connectors [K4].

[AA] x 12
[DD] x 12




STEP 14 Use one (1) [AA] bolt and one (1) [DD] flat washer to attach one end of top beam [H2] to connector [K3]. Use one (1) [KK] bolt and one (1) [DD] flat washer to attach the other end of top beam [H2] to connector [K4]. Repeat with the other seven (7) top beams [H2].

[AA] x 8
[KK] x 8
[DD] x 16




STEP 15 Slide roof support [J5] and [J6] onto connector [K3]. Use one (1) [AA] bolt and one (1) [DD] bolt to attach one (1) roof support [J5] to connector [K4] on roof rib [F1]. Repeat with the other three (3) [J5] and four (4) [J6].

[AA] x 8
[DD] x 8




STEP 16 Use two (2) [AA] bolt and two (2) [DD] flat washer to attach one (1) connector [K7] to roof support assembly [J5] [J6]. Repeat with the other three (3) connector [K7].

[AA] x 8
[DD] x 8




STEP 17 Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) roof support [J3] to roof rib [F1]. Repeat with the other three (3) roof support [J3].

[AA] x 8
[DD] x 8




STEP 18 DO NOT tighten the bolts completely until all the bolts and washers are properly installed. Use two (2) [AA] bolts and two (2) [DD] flat washers to attach roof plate 13 [Z13] to top roof frame. Use two (2) [AA] bolts and two (2) [DD] flat washers to attach roof plate 14 [Z14] to top roof frame. Repeat with the other three (3) roof plates [Z13] and [Z14].

[AA] x 16
[DD] x 16




STEP 19 Use one (1) [BB] bolt, one (1) [DD] flat washer and one (1) [EE] sealant washer to attach one (1) roof rib cover 2 [L2] to roof rib [F1]. Repeat with the other three (3) roof rib cover [L2].

[BB] x 4
[DD] x 4
[EE] x 4




STEP 20 Use hook [N] to attach roof cover 13 [L13] to the roof top.



STEP 21 Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) mosquito net rod [M12] to cross beam [D1] [D2]. Repeat with the other seven (7) mosquito net rods [M12].

[AA] x 16
[DD] x 16



STEP 22 DO NOT tighten the bolts completely until all the bolts and washers are properly installed.


Use two (2) [GG] plastic clips to attach roof plates [Z2] and [Z3] to roof support [J1].

Repeat with the other three (3) plates [Z2] and [Z3].

Use one (1) [AA] bolt and one (1) [DD] flat washer to attach each hole of roof plate [Z2], [Z3], [Z4], [Z5], [Z6] and [Z7] to roof rib [F1] and roof support assembly [J5] [J6].


Repeat with the other three (3) roof plate [Z2], [Z3], [Z4], [Z5], [Z6] and [Z7].

[AA] x 56
[DD] x 56
[GG] x 8




STEP 23 Use two (2) [BB] bolt, two (2) [DD] flat washer and two to (2) [EE] to attach one (1) roof rib cover 1 [L1] to roof rib [F1]. Repeat with the other three (3) roof rib cover [L1].

[BB] x 8
[DD] x 8
[EE] x 8




STEP 24 DO NOT tighten the bolts completely. Use two (2) [CC] bolts to attach light [Q] to the posts. Repeat with the other three (3) lights [Q].

[CC]x8



STEP 25 Use two (2) [FF] expansion bolts to anchor each post foot base [B3]. Please make sure the expansion bolts are fully anchored. We recommend using a 3/8 inch drill bit when installing the included expansion bolts.



[FF] x 8



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 25, on page 10 in the assembly instructions is not properly completed, this will void the warranty.



WARNING! If your gazebo is not properly anchored, damage could occur. It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.

WOOD	CONCRETE
	
<p>Anchors should be drilled into joists or reinforced blocking (not only deck boards).</p>	<p>Pre-drill holes for appropriately sized concrete anchors</p>
 <p>Recommended Hardware: Expansion Bolt (Not Included)</p>	 <p>Recommended Hardware: Expansion Bolt (Not Included)</p>

If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
 - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
 - As load bearing support for a building, structure, heavy objects or swings.
 - Used in structures that trap wind, rain or snow that would create extra load on the product.
 - Accumulated snow must be removed from roof.
 - DO NOT climb or walk on roof for any reason.

LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part (s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is". We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

CAUTION

DO NOT climb or walk on roof for any reason.

