


**MODEL: IG10600042-1012S**



OWNER'S MANUAL

# 10' X 12' Four Seasons Hard Top Gazebo with LED Lighting

**TABLE OF CONTENTS**

**ASSEMBLY GUIDE**.....02  
**USING YOUR PRODUCT**.....05

May 5, 2024

**QUESTIONS?**



**E-mail:** [support@modernshade.org](mailto:support@modernshade.org)




























**Toll Free:** 1-888-666-3070














**Mon-Fri:** 9:00 ---17:00 PST.












# ASSEMBLY GUIDE

## PARTS LIST

<b>A1</b> Post 1 (2 pieces) 	<b>A2</b> Post 2 (1 piece) 	<b>A3</b> Post 3 (1 piece) 	<b>B</b> Foot Cover (4 pieces) 	<b>C</b> Foot Base (4 pieces) 	<b>D1</b> Cross Beam 1 (2 pieces) 
P0008008526	P0008008527	P0008008648	P0008008932	P0008008933	P0008008946
<b>D2</b> Cross Beam 2 (2 pieces) 	<b>D3</b> Cross Beam 3 (2 pieces) 	<b>D4</b> Cross Beam 4 (2 pieces) 	<b>E1</b> Roof Rib 1 (4 pieces) 	<b>E2</b> Roof Rib 2 (4 pieces) 	<b>E3</b> Roof Rib 3 (4 pieces) 
P0008008947	P0008008948	P0008008949	P0008008651	P0008008652	P0008008653
<b>F</b> Middle Cross Beam 1 (4 pieces) 	<b>G1</b> Support Bracket 1 (4 pieces) 	<b>G2</b> Support Bracket 2 (4 pieces) 	<b>H1</b> Mosquito Net Rod 1 (4 pieces) 	<b>H2</b> Mosquito Net Rod 2 (4 pieces) 	<b>J1</b> Top Beam 1 (4 pieces) 
P0008008654	P0008008542	P0008008543	P0008008544	P0008008655	P0008008656
<b>J2</b> Top Beam 2 (4 pieces) 	<b>J3</b> Top Beam 3 (4 pieces) 	<b>J4</b> Top Beam 4 (4 pieces) 	<b>K1</b> Roof Lower Border 1 (2 pieces) 	<b>K2</b> Roof Lower Border 2 (2 pieces) 	<b>K3</b> Roof Lower Border 3 (2 pieces) 
P0008008657	P0008008658	P0008008659	P0008008550	P0008008551	P0008008660
<b>K4</b> Roof Lower Border 4 (2 pieces) 	<b>L1</b> Roof Top Border 1 (2 pieces) 	<b>L2</b> Roof Top Border 2 (2 pieces) 	<b>M1</b> Roof Upper Border 1 (2 pieces) 	<b>M2</b> Roof Upper Border 2 (2 pieces) 	<b>N1</b> Roof Cover 1 (1 piece) 
P0008008661	P0008008662	P0008008663	P0008008664	P0008008665	P0008008943
<b>N2</b> Roof Cover 2 (4 pieces) 	<b>N3</b> Roof Cover 3 (4 pieces) 	<b>Q1</b> Connector 1 (4 pieces) 	<b>Q2</b> Connector 2 (4 pieces) 	<b>Q3</b> Connector 3 (4 pieces) 	<b>Q4</b> Connector 4 (12 pieces) 
P0008008667	P0008008668	P0008008570	P0008008571	P0008008573	P0008008575

<p><b>Q5</b> Connector 5 (8 pieces)</p> 	<p><b>Q6</b> Connector 6 (4 pieces)</p> 	<p><b>Q7</b> Connector 7 (8 pieces)</p> 	<p><b>Q8</b> Connector 8 (4 pieces)</p> 	<p><b>Q9</b> Connector 9 (4 pieces)</p> 	<p><b>Q10</b> Connector 10 (1 piece)</p> 
P0008008577	P0008008956	P0008008579	P0008008950	P0008008951	P0008008669
<p><b>R1</b> Roof Plate 1 (2 pieces)</p> 	<p><b>R2</b> Roof Plate 2 (4 pieces)</p> 	<p><b>R3</b> Roof Plate 3 (4 pieces)</p> 	<p><b>R4</b> Roof Plate 4 (4 pieces)</p> 	<p><b>R5</b> Roof Plate 5 (4 pieces)</p> 	<p><b>R6</b> Roof Plate 6 (4 pieces)</p> 
P0008008670	P0008008671	P0008008672	P0008008673	P0008008674	P0008008675
<p><b>R7</b> Roof Plate 7 (4 pieces)</p> 	<p><b>S1</b> Roof Top Plate 1 (4 pieces)</p> 	<p><b>S2</b> Roof Top Plate 2 (4 pieces)</p> 	<p><b>S3</b> Roof Top Plate 3 (2 pieces)</p> 	<p><b>T</b> Hook (1 piece)</p> 	<p><b>U</b> Electrical Power Cover (1 piece)</p> 
P0008008676	P0008008677	P0008008678	P0008008679	P0008008594	P0008008595
<p><b>V</b> Privacy Curtain (1 piece)</p> 	<p><b>X1</b> Wire 1 (Pre-Installed) (1 piece)</p> 	<p><b>X2</b> Wire 2 (1 piece)</p> 	<p><b>X3</b> Wire 3 (2 pieces)</p> 	<p><b>Y</b> Mosquito Netting (1 piece)</p> 	
P0008008680	P0008008598	P0008008599	P0008008600	P0008008681	

## HARDWARE

<p><b>AA</b> Bolt M6*20 (314+16 pieces)</p> 	<p><b>BB</b> Bolt M6*45 (12+1 pieces)</p> 	<p><b>CC</b> Bolt M6*60 (16+1 pieces)</p> 	<p><b>DD</b> Bolt M3*9 (4+1 pieces)</p> 	<p><b>EE</b> M6 Flat washer (342+17 pieces)</p> 	<p><b>FF</b> M6 Sealant Washer (12+1 pieces)</p> 
<p>H0008008036</p>	<p>H0008008016</p>	<p>H0008008091</p>	<p>H0008008092</p>	<p>H0008008057</p>	<p>H0008008060</p>
<p><b>GG</b> Plastic Clip (12+2 pieces)</p> 	<p><b>HH</b> Wire Mounting (24+5 pieces)</p> 	<p><b>JJ</b> Concrete Anchor M6*60 (8 pieces)</p> 	<p><b>KK</b> Wrench M6 (2 pieces)</p> 	<p><b>LL</b> M6 Allen Key with Screw Driver (1 piece)</p> 	<p><b>MM</b> M6 Allen Key (1 piece)</p> 
<p>H0008008093</p>	<p>H0008008094</p>	<p>H0008008095</p>	<p>H0008008011</p>	<p>H0008008132</p>	<p>H0008008133</p>
<p><b>NN</b> Rings (104+8 pieces)</p>  <p>H0008008113</p>					

### IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

### SAFETY ALERT KEY

#### DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

#### WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

#### CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

#### NOTICE

Indicates information considered important, but not hazard-related (e.g. messages related to property damage).


# ASSEMBLY INSTRUCTIONS

•Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

## ⚠ CAUTION


Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

**STEP 01** Pull the electric cord out through the plug on post **A3**. Slide foot cover **B** and foot base **C** onto posts **A1**, **A2** and **A3**. Use two (2) **AA** bolts and two (2) **EE** flat washers to attach foot base **C** to post **A1**, **A2** and **A3**. Repeat with the other post **A1**.



**STEP 03** Slide one (1) cross beam **D3** and **D4** onto connector **Q6**. Slide one (1) connector **Q8** under cross beam assembly **D3** **D4**.

Use five (5) **AA** bolts and five (5) **EE** flat washers to attach connector **Q8** to cross beam assembly **D3** **D4**. Repeat with the other cross beam **D3** and **D4**.




- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.

**STEP 02** Slide one (1) cross beam **D1** and **D2** onto connector **Q6**.


Slide one (1) connector **Q8** under cross beam assembly **D1** **D2**.

Use five (5) **AA** bolts and five (5) **EE** flat washers to attach connector **Q8** to cross beam assembly **D1** **D2**.

Repeat with the other cross beam **D1** and **D2**.



**STEP 04** Use two (2) **AA** bolts and two (2) **EE** flat washers to attach one (1) post **A1** to cross beam assembly **D1** **D2**. Repeat with the posts **A1**, **A2** and **A3**.




**STEP 05** Use four (4) [AA] bolts and four (4) [EE] flat washers to attach one (1) cross beam assembly [D3] [D4] to post [A1] and [A3].

Repeat with the other cross beam assembly [D3] [D4] to post [A1] and [A2].

[AA] x 8

[EE] x 8



**STEP 06** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) connector 9 [Q9] to cross beam assembly [D1] [D2] and [D3] [D4].


Repeat with the other three (3) connector [Q9].

Use four (4) [AA] bolts and four (4) [EE] flat washers to attach one (1) connector 1 [Q1] to post [A1].

Repeat with the other three (3) connector [Q1] with post [A1], [A2] and [A3].

[AA] x 24

[EE] x 24



**STEP 07** Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) support bracket 1 [G1] to post [A1]. Use two (2) [CC] bolts and two (2) [EE] flat washers to attach one (1) support bracket 1 [G1] to cross beam assembly [D1] [D2].

Repeat with the other three (3) support bracket [G1] with post [A1], [A2] and [A3].

Repeat with the other five (5) support bracket [G1] with cross beam assembly [D1] [D2] and [D3] [D4].

Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) support bracket 2 [G2] to post [A1]. Use two (2) [CC] bolts and two (2) [EE] flat washers to attach one (1) support bracket 2 [G2] to cross beam assembly [D1] [D2].


Repeat with the other three (3) support bracket [G2] with post [A1], [A2] and [A3].

Repeat with the other five (5) support bracket [G2] with cross beam assembly [D1] [D2] and [D3] [D4].

[AA] x 24

[EE] x 40

[CC] x 16




**STEP 08** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) mosquito net rod 1 [H1] to cross beam [D1]. Repeat with the other three (3) mosquito net rod 1 [H1] to cross beam [D1] and [D2].

Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) mosquito net rod 2 [H2] to cross beam [D3]. Repeat with the other three (3) mosquito net rod 2 [H2] to cross beam [D3] and [D4].

[AA] x 16

[EE] x 16




**STEP 09** Slide roof rib 3 [E3] into roof rib 1 [E1].

Use two (2) [AA] bolt and two (2) [EE] flat washer to attach two (2) connector 5 [Q5] to roof rib 1 [E1].

Repeat with the other three (3) roof rib [E1] [E3] and six (6) connector [Q5].

[AA] x 8

[EE] x 8




**STEP 10** Slide roof rib 1 [E1] into roof rib 2 [E2].

Use four (4) [AA] bolts and four (4) [EE] flat washers to attach one (1) roof rib assembly [E1] [E2] [E3] to connector [Q1]. Repeat with the other three (3) roof rib assembly [E1] [E2] [E3].

[AA] x 16


[EE] x 16




**STEP 11** Use four (4) [AA] bolts and four (4) [EE] flat washers to attach connector 10 [Q10] to roof ribs [E3].

[AA] x 4


[EE] x 4



**STEP 12** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof upper border 1 [M1] to roof rib [E1]. Repeat with the other roof upper border [M1]. Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof upper border 2 [M2] to roof rib [E1]. Repeat with the other roof upper border [M2].




**STEP 13** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) connector 2 [Q2] to middle cross beam [F]. Use three (3) [AA] bolts and three (3) [EE] flat washers to attach three (3) connector 4 [Q4] to middle cross beam [F]. Repeat with the other three connector [Q2] and twelve (12) connector [Q4] to middle cross beam [F].




**STEP 14** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) connector 2 [Q2] to cross beam assembly [D1] [D2]. Repeat with the other connector [Q2] with cross beam assembly [D1] [D2] and [D3] [D4].

Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) middle cross beam [F] to roof upper border [M1]. Repeat with the other three middle cross beam [F] to roof upper border [M1] [M2].




**STEP 15** Stick twenty-four (24) [HH] the wire mounting to the cross beams as needed.

[HH] x 24



**STEP 16** Install the wires according to the route map as shown.

- **X1** has been pre-installed in the post **A3**. Attach one of the wire connectors of **X1** to the light in post **A3**. Attach the second connector to the separate connector of **X2** on the left third, and the third connector to the separate connector of **X3** on the right side.
- Attach one of the connectors at the other end of right-side wire **X3** to the light in post **A1**.
- Attach one of the connectors at the other end of left side wire **X2** to the light in post **A1**, and attach the other connector to one of the connectors on **X3**.
- Attach the other end of wire **X3** to the light in post **A2**.
- Insert the Type-C plug of **X1** onto the power strip.
- Finally, organize all the wires into the wire mountings on the cross beams.



**STEP 17** Use one (1) **AA** bolt and one (1) **EE** flat washer to attach one (1) top beam 3 **J3** to connector 4 **Q4**, use one (1) **AA** bolt and one (1) **EE** flat washer to attach one (1) top beam 3 **J3** to connector 5 **Q5**.


Repeat with the other three (3) top beam **J3**.

Use one (1) **AA** bolt and one (1) **EE** flat washer to attach one (1) top beam 4 **J4** to connector 4 **Q4**, use one (1) **AA** bolt and one (1) **EE** flat washer to attach one (1) top beam 4 **J4** to connector 5 **Q5**.

Repeat with the other three (3) top beam **J4**.

**AA** x 16

**EE** x 16



**STEP 18** Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) top beam 1 [J1] to connector 4 [Q4], use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) top beam 1 [J1] to connector 5 [Q5].


Repeat with the other three (3) top beam [J1].

Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) top beam 2 [J2] to connector 4 [Q4], use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) top beam 2 [J2] to connector 5 [Q5].

Repeat with the other three (3) top beam [J2].

[AA] x 16

[EE] x 16



**STEP 19** Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) roof lower border [K2] and [K3] to roof rib 2 [E2].


Repeat with the other roof lower border [K2] and [K3].

Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) roof lower border [K1] and [K4] to roof rib 2 [E2].

Repeat with the other roof lower border [K1] and [K4].

[AA] x 4

[EE] x 4




**STEP 20** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) connector 3 [Q3] to roof lower border [K1] and [K2].

Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) connector 3 [Q3] to roof lower border [K3] and [K4].

Repeat with the other two (2) connector [Q3].

[AA] x 8


[EE] x 8



**STEP 21** Use one (1) [AA] bolt and one (1) [EE] flat washer to attach one (1) roof top border [L1] and [L2] to roof rib [E3]. Repeat with the other roof top border [L1] and [L2].

[AA] x 4

[EE] x 4



**STEP 22** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof top plate 1 [S1] to roof rib 3 [E3] and roof top border [L1].

Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof top plate 3 [S3] to the top frame.


Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof top plate 2 [S2] to roof rib 3 [E3] and roof top border [L1].

Repeat with the other roof plate [S1], [S2] and [S3].

Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof top plate 1 [S1] to roof rib 3 [E3] and roof top border [L2].

Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof top plate 2 [S2] to roof rib 3 [E3] and roof top border [L2].

Repeat with the other roof top plate [S1] and [S2].




[AA] x 20

[EE] x 20


**STEP 23** Use one (1) [BB] bolt, one (1) [EE] flat washer and one (1) [FF] sealant washer to attach one (1) roof cover 2 [N2] to roof rib 3 [E3]. Repeat with the other three (3) roof cover [N2].

- [BB] x 4
- [EE] x 4
- [FF] x 4



**STEP 24** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach roof cover 1 [N1] to connector 10 [Q10]. Attach the hook [T] to connector [Q10].

- [AA] x 2
- [EE] x 2



**STEP 25** Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof plate 6 [R6] to roof rib assembly [E1 E2] and roof lower border [K3 K4].

Use three (3) [AA] bolts and three (3) [EE] flat washers to attach one (1) roof plate 4 [R4] to roof rib assembly [E1 E2] and roof lower border [K3 K4].

Use three (3) [AA] bolts, three (3) [EE] flat washers and one (1) [GG] plastic clip to attach one (1) roof plate 2 [R2] to roof rib assembly [E1 E2], roof lower border [K3 K4] and roof upper border [M2].

Use three (3) [AA] bolts, three (3) [EE] flat washers and one (1) [GG] plastic clip to attach one (1) roof plate 3 [R3] to roof rib assembly [E1 E2], roof lower border [K3 K4] and roof upper border [M2].

Use three (3) [AA] bolts and three (3) [EE] flat washers to attach one (1) roof plate 5 [R5] to roof rib assembly [E1 E2] and roof lower border [K3 K4].

Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof plate 7 [R7] to roof rib assembly [E1 E2] and roof lower border [K3 K4].

Repeat with the other roof plate [R6, R4, R2, R3, R5] and [R7].

Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof plate 6 [R6] to roof rib assembly [E1 E2] and roof lower border [K1 K2].

Use three (3) [AA] bolts and three (3) [EE] flat washers to attach one (1) roof plate 4 [R4] to roof rib assembly [E1 E2] and roof lower border [K1 K2].

Use three (3) [AA] bolts, three (3) [EE] flat washers and one (1) [GG] plastic clip to attach one (1) roof plate 2 [R2] to roof rib assembly [E1 E2], roof lower border [K1 K2] and roof upper border [M1].

Use two (2) [AA] bolts, two (2) [EE] flat washers and two (2) [GG] plastic clips to attach one (1) roof plate 1 [R1] to roof rib assembly [E1 E2], roof lower border [K1 K2] and roof upper border [M1].

Use three (3) [AA] bolts, three (3) [EE] flat washers and one (1) [GG] plastic clip to attach one (1) roof plate 3 [R3] to roof rib assembly [E1 E2], roof lower border [K1 K2] and roof upper border [M1].

Use three (3) [AA] bolts and three (3) [EE] flat washers to attach one (1) roof plate 5 [R5] to roof rib assembly [E1 E2] and roof lower border [K1 K2].


Use two (2) [AA] bolts and two (2) [EE] flat washers to attach one (1) roof plate 7 [R7] to roof rib assembly [E1 E2] and roof lower border [K1 K2].

Repeat with the other roof plate [R6, R4, R2, R1, R3, R5] and [R7].

[AA] x 68


[EE] x 68

[GG] x 12




**STEP 26** Use two (2) [BB] bolts, two (2) [EE] flat washers and two (2) [FF] sealant washers to attach one (1) roof cover 3 [N3] to roof rib assembly [E1] [E2]. Repeat with the other three (3) roof cover [N3].

- [BB] x 8
- [EE] x 8
- [FF] x 8




**STEP 27** Use four (4) [DD] bolts to attach electrical power cover [U] to post [A3].

- [DD] x 4





**STEP 28** Use two (2) [JJ] expansion bolts to anchor each post foot base [C].

- [JJ] x 8






**STEP 29** Use [NN] rings to attach mosquito netting **Y** to the gazebo.

[NN] x 52




**STEP 30** Use [NN] rings to attach the privacy curtain **V** to the gazebo.

[NN] x 52



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 28, on page 14 in the assembly instructions is not properly completed, this will void the warranty.

**⚠ WARNING! If your gazebo is not properly anchored, damage could occur.** It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.



If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

**⚠ CAUTION**

DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
  - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
  - As load bearing support for a building, structure, heavy objects or swings.
  - Used in structures that trap wind, rain or snow that would create extra load on the product.
  - Accumulated snow must be removed from roof.
  - DO NOT climb or walk on roof for any reason.

### LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

