


**MODEL: IG10600094C-1012**



OWNER'S MANUAL

## The Horizon 10'x12' Hard Top Gazebo W/ Solar LED light

### TABLE OF CONTENTS

**ASSEMBLY GUIDE**.....02  
**USING YOUR PRODUCT**.....04

September 9, 2025

### QUESTIONS?































 **E-mail:** [support@modernshade.org](mailto:support@modernshade.org)











 **Toll Free Number:** 1-888-666-3070

 **Mon-Fri:** 9:00 AM - 5:00 PM PST.








# ASSEMBLY GUIDE

## PARTS LIST

<b>A1</b> Post 1 (2 pieces) 	<b>A2</b> Post 2 (2 pieces) 	<b>B3</b> Foot Base 3 (4 pieces) 	<b>C3</b> Foot Cover 3 (4 pieces) 	<b>D1</b> Cross Beam 1 (2 pieces) 	<b>D2</b> Cross Beam 2 (2 pieces) 
P0010000101	P0010000201	P0030000101	P0020000101	P0040000501	P0040000601
<b>D3</b> Cross Beam 3 (2 pieces) 	<b>D4</b> Cross Beam 4 (2 pieces) 	<b>E1</b> Support Bracket 1 (4 pieces) 	<b>E2</b> Support Bracket 2 (4 pieces) 	<b>F1</b> Roof Rib 1 (4 pieces) 	<b>G1</b> Middle Cross Beam 1 (4 pieces) 
P0040000101	P0040000201	P0050000101	P0050000201	P0070000101	P0080000101
<b>H1</b> Top Beam 1 (4 pieces) 	<b>H2</b> Top Beam 2 (4 pieces) 	<b>J1</b> Roof Support 1 (2 pieces) 	<b>J2</b> Roof Support 2 (2 pieces) 	<b>J3</b> Roof Support 3 (2 pieces) 	<b>J4</b> Roof Support 4 (2 pieces) 
P0090000101	P0090000201	P0090000901	P0090001001	P0090001301	P0090001401
<b>J5</b> Roof Support 5 (2 pieces) 	<b>J6</b> Roof Support 6 (2 pieces) 	<b>J7</b> Roof Support 7 (2 pieces) 	<b>J8</b> Roof Support 8 (2 pieces) 	<b>K3</b> Connector 3 (8 pieces) 	<b>K4</b> Connector 4 (12 pieces) 
P0090001501	P0090001601	P0090001701	P0090001801	P0060000501	P0060000601
<b>K6</b> Connector 6 (1 piece) 	<b>K7</b> Connector 7 (4 pieces) 	<b>K12</b> Connector 12 (4 pieces) 	<b>K13</b> Connector 13 (4 pieces) 	<b>K14</b> Connector 14 (4 pieces) 	<b>K15</b> Connector 15 (4 pieces) 
P0060000701	P0110000501	P0060000101	P0110000101	P0110000301	P0060000301
<b>K16</b> Connector 16 (4 pieces) 	<b>L1</b> Roof Rib Cover 1 (4 pieces) 	<b>L2</b> Roof Rib Cover 2 (4 pieces) 	<b>L3</b> Roof Cover 3 (1 piece) 	<b>M11</b> Mosquito Net Rod 11 (4 pieces) 	<b>M12</b> Mosquito Net Rod 12 (4 pieces) 
P0060000401	P0120000101	P0120000201	P0120000501	P0100000401	P0100000501

<b>N</b> Hook (1 piece) 	<b>Q</b> Light (4 pieces) 	<b>Y</b> Mosquito Netting (1 piece) 	<b>Z1</b> Roof Plate 1 (2 pieces) 	<b>Z2</b> Roof Plate 2 (4 pieces) 	<b>Z3</b> Roof Plate 3 (4 pieces) 
P100000101	P100000200	P022000101	P013000199	P013000299	P013000399
<b>Z4</b> Roof Plate 4 (4 pieces) 	<b>Z5</b> Roof Plate 5 (4 pieces) 	<b>Z6</b> Roof Plate 6 (4 pieces) 	<b>Z7</b> Roof Plate 7 (4 pieces) 	<b>Z10</b> Roof Plate 10 (2 pieces) 	<b>Z13</b> Roof Plate 13 (4 pieces) 
P013000499	P013000599	P013000699	P013000799	P0130001099	P0130001399
<b>Z14</b> Roof Plate 14 (4 pieces) 					
P0130001499					

**HARDWARE**

<b>AA</b> Bolt M6*20 (276+14 pieces) 	<b>BB</b> Bolt M6*45 (30+3 pieces) 	<b>CC</b> Bolt M4*20 (8+1 pieces) 	<b>DD</b> M6 Flat washer (314+15 pieces) 	<b>EE</b> M6 Sealant Washer (12+1 pieces) 	<b>FF</b> Concrete Anchor M6*60 (8 pieces) 
H0008008036	H0008008016	H0008008067	H0008008057	H0008008060	H0008008095
<b>GG</b> Plastic Clip (12+2 pieces) 	<b>HH</b> Double Open End Wrench M6/M4 (2 pieces) 	<b>JJ</b> M6 Allen Key (2 pieces) 	<b>KK</b> Bolt M6*15 (8+1 pieces) 	<b>LL</b> Rings (52+2 pieces) 	<b>MM</b> M6 Hex drill bit (1 piece) 
H0008008071	H0008008072	H0008008133	H0008008001	H0008008113	H0008008209

**IMPORTANT:**

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

**SAFETY ALERT KEY**

**⚠ DANGER**

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

**⚠ WARNING**

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

**⚠ CAUTION**

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

**NOTICE**

Indicates information considered important, but not hazard-related (e.g.messages related to property damage).


# ASSEMBLY INSTRUCTIONS

•Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

## ⚠ CAUTION


Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

**STEP 01** Slide Foot Cover **C3** onto Post 1 **A1**. Attach Foot Base **B3** using two (2) M6\*20 Bolts **AA** and two (2) M6 Flat Washers **DD**. Repeat for the second Post 1 **A1**. Slide Foot Cover **C3** onto Post 2 **A2**. Attach Foot Base **B3** using two (2) M6\*20 Bolts **AA** and two M6 Flat Washers **DD**. Repeat for the second Post 2 **A2**.




- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.


**STEP 02** Slide Cross Beam 3 **D3** and Cross Beam 4 **D4** onto the ends of connector 12 **K12**, then place one (1) connector 13 **K13** over the middle connector 12 **K12**. Connect together using five (5) M6\*20 Bolts **AA** and five (5) M6 Flat Washers **DD**. Repeat to create a second assembly.



**STEP 03** Slide Cross Beam 1 **D1** and Cross Beam 2 **D2** onto the ends of connector 12 **K12**, then place one (1) connector 13 **K13** over the middle connector 12 **K12**. Connect together using five (5) M6\*20 Bolts **AA** and five (5) M6 Flat Washers **DD**. Repeat to create a second assembly.




**STEP 04** Connect the assembly from Step 2 **D3** + **D4** to Post 1 **A1** and Post 2 **A2** using four (4) M6\*20 Bolts **AA** and four (4) M6 Flat Washers **DD**. Repeat to create a second set of legs.




**STEP 05** Connect the sets of legs from Step 4 together using the assemblies from Step 3 **D1** + **D2** using eight (8) M6\*20 Bolts **[AA]** and eight (8) M6 Flat Washers **[DD]**.

**[AA]** x 8

**[DD]** x 8




**STEP 06 CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.**




**STEP 07** In each corner, connect one connector 14 **K14** using two (2) M6\*20 Bolts **AA** and two (2) M6 Flat Washers **DD**. Then, connect one connector 16 **K16** on top of each corner using three (3) M6\*20 Bolts **AA** and three (3) M6 Flat Washers **DD**.

**AA** x 20  
**DD** x 20




**STEP 08** On each post, attach one (1) Support Bracket 1 **E1** on the left and one (1) Support Bracket 2 **E2** on the right using two (2) M6\*20 Bolts **AA** and two (2) M6 Flat Washers **DD** on the lower holes and two (2) M6\*45 Bolts **BB** and two (2) M6 Flat Washers **DD** in the upper holes.

**AA** x 16  
**BB** x 16  
**DD** x 32




**STEP 09** Attach two Mosquito Net Rods 11 **M11** on each long side of the gazebo and two (2) Mosquito Net Rod 12 **M12** on the short sides of the gazebo, using two (2) M6\*20 Bolts **AA** and two (2) M6 Flat Washers **DD** each.

**AA** x 16  
**DD** x 16




**STEP 10** At each corner, attach one (1) Roof Rib **F1** using four (4) M6\*20 Bolts **AA** and four (4) M6 Flat Washers **DD**.

**AA** x 16  
**DD** x 16




**STEP 11** Attach connector 6 **K6** to the top of the gazebo using four (4) M6\*20 Bolts **AA** and four (4) M6 Flat Washers **DD**.

**AA** x 4  
**DD** x 4




**STEP 12** Connect Roof Ribs **F1** together using Roof Support 1s **J1** on each short side and Roof Support 2s **J2** on the long sides using two (2) M6\*20 Bolts **AA** and two (2) M6 Flat Washers **DD**.

**AA** x 8  
**DD** x 8



**STEP 13** Attach two (2) connector 3s **K3** to one (1) Middle Cross Beam **G1**. Then, connect one (1) connector 15 **K15** to the underside of the cross beam. Repeat to make four cross beam assemblies.


**AA** x 16  
**DD** x 16



**STEP 14** Connect each cross beam assembly from Step 12 to the gazebo using three (3) M6\*20 Bolts [AA] and three (3) M6 Flat Washers [DD] each.

[AA] x 12


[DD] x 12



**STEP 15** On each Roof Rib [F1], attach one (1) connector 4 [K4] to the bottom end, one (1) connector 4 [K4] in the center, and one one (1) connector 4 [K4] the end of the upper arm.

[AA] x 12

[DD] x 12





Make sure the connectors face upward as shown.

**STEP 16** Slide top beam [H1] onto connector [K3]. Use one (1) [AA] bolt, one (1) [KK] bolt and two (2) [DD] flat washers to attach one (1) [H1] to connector [K3] and [K4]. Repeat with the other three (3) [H1] and four (4) [H2].

[AA] x 8


[KK] x 8

[DD] x 16




**STEP 17** Connect Roof Support 3s **J3** and Roof Support s4 **J4** to the **K4s** at the top of the gazebo.

**AA** x 8  
**DD** x 8




**STEP 18** On the short sides of the gazebo, connect Roof Support 5 **J5** on the left, and Roof Support 6 **J6** on the right. On the long side of the gazebo, connect Roof Support 7 **J7** on the left and Roof Support 8 **J8** on the right.

**AA** x 8  
**DD** x 8




**STEP 19** Add one connector 7 **K7** to each side where the Roof Supports meet.


**AA** x 8  
**DD** x 8




**STEP 20** DO NOT tighten the bolts completely until all the bolts and washers are properly installed. Overlap the edges of the adjacent roof plates together. Attach Roof Plate 13 **Z13** and Roof Plate 14 **Z14** to the short side of the gazebo. On the long side, connect Roof Plate 13 **Z13**, Roof Plate 10 **Z10**, and Roof Plate 14 **Z14**.



**STEP 21** On the edges of the roof plate, attach Roof Rib Covers 2 **L2** using one (1) M6\*45 Bolts **BB**, one (1) M6 Flat Washers **DD**, and one (1) M6 sealant washers **EE**. Repeat with the other three (3) Roof Rib Covers 2 **L2**.




**STEP 22** Attach roof cover 3 **L3** over the top of the gazebo using two (2) M6\*45 Bolts **BB** and two (2) M6 Flat Washers **DD**. Attach the Hook **N** from inside the gazebo.



**STEP 23** DO NOT tighten the bolts completely until all the bolts and washers are properly installed.


Overlap the edges of the adjacent roof plates together. To complete the roof, attach Roof Plates in this order starting on the short side of the gazebo: **Z6, Z4, Z2, Z3, Z5, Z7, Z6, Z4, Z2, Z1, Z3, Z5**, and **Z7**. Repeat around the other side to add all panels. Use Plastic Clips **GG** along the top of each panel.

- [AA] x 60
- [DD] x 60
- [GG] x 12




**STEP 24** Cover corner seams of the roof using four (4) Roof Rib Covers 1s **L1** secured with two (2) M6\*45 Bolts **BB**, two (2) M6 Flat Washers **DD**, and two (2) M6 sealant washers **EE** each.

- [BB] x 8
- [DD] x 8
- [EE] x 8




**STEP 25** Insert two (2) M4\*20 Bolts [CC] into each post, but do not tighten completely. Hang one (1) Light [Q] from each set of M4\*20 Bolts [CC].

[CC] x 8




**STEP 26** Attach all fifty-two (52) Rings [LL] to the mosquito net [Y]. Hang the mosquito net [Y] around the gazebo on the rings.

[LL] x 52





**STEP 27** Use two (2) Concrete Anchors [FF] in each Foot Base [B3] to secure the gazebo to the ground. Slide Foot Covers [C3] down to the bottom of the posts. We recommend using a 3/8 inch drill bit when installing the included expansion bolts.

[FF] x 8



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 27, on page 12 in the assembly instructions is not properly completed, this will void the warranty.

**⚠ WARNING! If your gazebo is not properly anchored, damage could occur.** It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.

WOOD	CONCRETE
	
<p>Anchors should be drilled into joists or reinforced blocking (not only deck boards).</p>  <p>Recommended Hardware: Expansion Bolt</p>	<p>Pre-drill holes for appropriately sized concrete anchors.</p>  <p>Recommended Hardware: Expansion Bolt</p>

If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

**⚠ CAUTION**  
DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
  - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
  - As load bearing support for a building, structure, heavy objects or swings.
  - Used in structures that trap wind, rain or snow that would create extra load on the product.
  - Accumulated snow must be removed from roof.
  - DO NOT climb or walk on roof for any reason.

### LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

