


MODEL: IG10600094C-1014



OWNER'S MANUAL

The Horizon 10'x14' Hard Top Gazebo W/ Solar LED light

TABLE OF CONTENTS

ASSEMBLY GUIDE.....	02
USING YOUR PRODUCT.....	04

March 27, 2025

QUESTIONS?



E-mail: support@modernshade.org
































Toll Free: 1-888-666-3070











Mon-Fri: 9am---5pm PST.










ASSEMBLY GUIDE

PARTS LIST

A1 Post 1 (2 pieces) 	A2 Post 2 (2 pieces) 	B Foot Base (4 pieces) 	C Foot Cover (4 pieces) 	D1 Cross Beam 1 (2 pieces) 	D2 Cross Beam 2 (2 pieces) 
P0010000101	P0010000201	P0030000101	P0020000101	P0040000301	P0040000401
D3 Cross Beam 3 (2 pieces) 	D4 Cross Beam 4 (2 pieces) 	E Roof Rib (4 pieces) 	F1 Middle Cross Beam 1 (6 pieces) 	F2 Middle Cross Beam 2 (2 pieces) 	G1 Support Bracket 1 (4 pieces) 
P0040000501	P0040000601	P0070000101	P0080000101	P0080000201	P0050000101
G2 Support Bracket 2 (4 pieces) 	H1 Mosquito Net Rod 1 (4 pieces) 	H4 Mosquito Net Rod 2 (4 pieces) 	J2 Top Beam 1 (8 pieces) 	J3 Top Beam 2 (4 pieces) 	K1 Roof Support 1 (2 pieces) 
P0050000201	P0100000201	P0100000501	P0090000201	P0090000301	P0090000601
K2 Roof Support 2 (2 pieces) 	K4 Roof Support 3 (2 pieces) 	K6 Roof Support 4 (2 pieces) 	K7 Roof Support 5 (2 pieces) 	K8 Roof Support 6 (2 pieces) 	K10 Roof Support 7 (4 pieces) 
P0090000701	P0090000901	P0090001101	P0090001201	P0090001301	P0090001501
K11 Roof Support 8 (4 pieces) 	K14 Roof Support 9 (4 pieces) 	L1 Connector 1 (4 pieces) 	L2 Connector 2 (4 pieces) 	L3 Connector 3 (4 pieces) 	L4 Connector 4 (8 pieces) 
P0090001601	P0090001901	P0060000101	P0110000101	P0110000301	P0060000301
L5 Connector 5 (4 pieces) 	L6 Connector 6 (18 pieces) 	L7 Connector 7 (12 pieces) 	L8 Connector 8 (1 piece) 	L9 Connector 9 (10 pieces) 	M1 Roof Rib Cover 1 (4 pieces) 
P0060000401	P0060000501	P0060000601	P0060000801	P0110000501	P0120000101

M2 Roof Rib Cover 2 (4 pieces) 	M3 Roof Rib Cover 3 (1 piece) 	N1 Roof Plate 1 (4 pieces) 	N2 Roof Plate 2 (4 pieces) 	N3 Roof Plate 3 (4 pieces) 	N4 Roof Plate 4 (4 pieces) 
P0120000201	P0120000601	P0130000101	P0130000201	P0130000301	P0130000401
N5 Roof Plate 5 (4 pieces) 	N6 Roof Plate 6 (4 pieces) 	N7 Roof Plate 7 (4 pieces) 	N9 Roof Plate 8 (4 pieces) 	N12 Roof Plate 9 (4 pieces) 	N13 Roof Plate 10 (4 pieces) 
P0130000501	P0130000601	P0130000701	P0130001001	P0130001301	P0130001401
P Hook (1 piece) 	Q Light (4 pieces) 	R Middle Cross Beam Support (1 piece) 	S Mosquito Netting (1 piece) 		
P1000000100	P1000000200	P0050000301	P0220000201		

HARDWARE

AA Bolt M6*20 (336+17 pieces) 	BB Bolt M6*45 (30+3 pieces) 	CC Bolt M4*20 (8+1 pieces) 	DD M6 Flat washer (378+18 pieces) 	EE M6 Sealant Washer (12+1 pieces) 	FF Concrete Anchor M6*60 (8 pieces) 
H0008008065	H0008008016	H0008008067	H0008008068	H0008008069	H0008008095
GG Plastic Clip (16+2 pieces) 	HH Double Open End Wrench M6/M4 (2 pieces) 	JJ M6 Allen Key (2 pieces) 	KK Bolt M6*15 (12+1 pieces) 	LL Rings (56+3 pieces) 	
H0008008071	H0008008072	H0008008133	H0008008001	H0008008113	

IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

SAFETY ALERT KEY

⚠ DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

⚠ CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

⚠ WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

NOTICE

Indicates information considered important, but not hazard-related (e.g.messages related to property damage).


ASSEMBLY INSTRUCTIONS

•Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.


⚠ CAUTION

Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

STEP 01 Slide Foot Cover **C** onto Post 1 **A1**. Attach Foot Base **B** using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**. Repeat for the second Post 1 **A1**. Slide Foot Cover **C** onto Post 2 **A2**. Attach Foot Base **B** using two (2) M6*20 Bolts **AA** and two M6 Flat Washers **DD**. Repeat for the second Post 2 **A2**.




STEP 03 Slide Cross Beam 3 **D3** and Cross Beam 4 **D4** onto the ends of Connector 1 **L1**, then place one (1) Connector 2 **L2** over the assembly. Connect together using five (5) M6*20 Bolts **AA** and five (5) M6 Flat Washers **DD**. Repeat to create a second assembly.




- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. Tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.

STEP 02 Slide Cross Beam 1 **D1** and Cross Beam 2 **D2** onto the ends of Connector 1 **L1**, then place one (1) Connector 2 **L2** over the assembly. Connect together using five (5) M6*20 Bolts **AA** and five (5) M6 Flat Washers **DD**. Repeat to create a second assembly.




STEP 04 Connect the assembly from Step 2 **D1** + **D2** to Post 1 **A1** and Post 2 **A2** using four (4) M6*20 Bolts **AA** and four (4) M6 Flat Washers **DD**. Repeat to create a second set of legs.




STEP 05 Connect the sets of legs from Step 4 together using the assemblies from Step 3 **D3** + **D4** using eight (8) M6*20 Bolts **[AA]** and eight (8) M6 Flat Washers **[DD]**.

[AA] x 8
[DD] x 8




STEP 06 CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.




STEP 07 In each corner, connect one Connector 3 **L3** using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**. Then, connect one Connector 5 **L5** on top of each corner using three (3) M6*20 Bolts **AA** and three (3) M6 Flat Washers **DD**.

AA x 20
DD x 20




STEP 08 On each post, attach one (1) Support Bracket 1 **G1** on the right and one (1) Support Bracket 2 **G2** on the left using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD** on the lower holes and two (2) M6*45 Bolts **BB** and two (2) M6 Flat Washers **DD** in the upper holes.

AA x 16
BB x 16
DD x 32




STEP 09 Attach two Mosquito Net Rods 1 **H1** on each long side of the gazebo and two (2) Mosquito Net Rod 2 **H4** on the short sides of the gazebo, using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD** each.


AA x 16
DD x 16



STEP 10 At each corner, attach one (1) Roof Rib **E** using four (4) M6*20 Bolts **AA** and four (4) M6 Flat Washers **DD**.




STEP 11 Attach Connector 8 **L8** to the top of the gazebo using four (4) M6*20 Bolts **AA** and four (4) M6 Flat Washers **DD**.




STEP 12 Connect one (1) Connector 4 **L4** to the underside of one (1) Middle Cross Beam 1 **F1** using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**. Repeat to make six (6) cross beam assemblies.

Connect one (1) Connector 4 **L4** to the underside of one (1) Middle Cross Beam 2 **F2** using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**. Attach one (1) Connector 6 **L6** to the upper arm of the Middle Cross Beam 2 **F2** using one (1) M6*20 Bolt **AA** and one (1) M6 Flat Washer **DD**. Repeat to make 2 (2) cross beam assemblies.




STEP 13 Attach one (1) Middle Cross Beam 2 **F2** to each long side of the gazebo using three (3) M6*20 Bolts **AA** and three (3) M6 Flat Washers **DD**.




STEP 14 Connect the Middle Cross Beam 2 **F2** together using one (1) Middle Cross Beam Support **R** with two (2) M6*20 Bolt **AA** and two (2) M6 Flat Washer **DD**. Attach the Hook **P** from the underside of the Middle Cross Beam Support **R**.

- AA** x 2
- DD** x 2




STEP 15 Attach one (1) Roof Support 1 **K1** and one (1) Roof Support 2 **K2** to the long side of the gazebo using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**, two (2) M6*15 Bolts **KK** and two (2) M6 Flat Washers **DD** each. Then, attach one (1) Roof Support 3 **K4** to the short side of the gazebo using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**.

- AA** x 8
- KK** x 4
- DD** x 12




STEP 16 Attach six (6) Middle Cross Beam 1 **F1** to the gazebo using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD** at the bottom and one (1) M6*20 Bolt **AA** and one (1) M6 Flat Washer **DD** at the top for each one.

- AA** x 18
- DD** x 18




STEP 17 On each Roof Rib **E**, attach one (1) Connector 7 **L7** to the bottom end, one (1) Connector 7 **L7** in the center, and one (1) Connector 7 **L7** to the end of the upper arm.

- AA** x 12
- DD** x 12




STEP 18 Connect one (1) Roof Support 4 **K6** and one (1) Roof Support 5 **K7** to the Connector 7 **L7** at the top of the gazebo using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD** each. Then, attach one (1) Roof Support 6 **K8** to the short side of the gazebo using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**.

AA x 8
DD x 8





STEP 19 Cover the connections on the long sides of the gazebo using two (2) Connector 9 **L9** with two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**.

AA x 4
DD x 4



STEP 20 Slide two (2) Top Beam 2 **J3** onto the ends of a Connector 6 **L6**, then slide two (2) more Connector 6 **L6** into the open ends. Use four (4) M6*20 Bolts **AA** and four (4) M6 Flat Washers **DD**. Repeat to make a second assembly. Attach both assemblies to the gazebo using six (6) M6*20 Bolts **AA** and six (6) M6 Flat Washers **DD**.


AA x 14
DD x 14



STEP 21 Slide two (2) Roof Support 9 **K14** onto the ends of one (1) Connector 6 **L6**, then add two (2) more to the open ends. Repeat to make a second assembly. Connect the assemblies to the gazebo using six (6) M6*20 Bolts **AA** and six (6) M6 Flat Washers **DD**.


AA x 6

DD x 6




STEP 22 Slide top beam **J2** onto connector **L6**. Use one (1) **AA** bolt, one (1) **KK** bolt and two (2) **DD** flat washers to attach one (1) **J2** to connector **L6** and **L7**. Repeat with the other three (3) **J2**.

Slide two (2) top beam **J2** onto connector **L6**, securing with two (2) **AA** bolts and two (2) **DD** flat washers. Use one (1) **AA** bolt and one (1) **DD** flat washer to attach top beam assembly **J2** to middle cross beam **F1**. Use two (2) **KK** bolts and two (2) **DD** flat washers to attach this assembly to connectors **L7**. Repeat with the other assembly.




STEP 23 Attach one (1) Roof Support 7 **K10** and one (1) Roof Support 8 **K11** using two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD**. Combine one (1) Roof Support 7 **K10** and one (1) Roof Support 8 **K11** using a Connector 6 **L6**. Repeat to make a second assembly and attach both assemblies to the short sides of the gazebo using three (3) M6*20 Bolts **AA** and three (3) M6 Flat Washers **DD**.




STEP 24 Cover all of the connections on the bottom of the gazebo roof using eight (8) Connector 9 **L9** with two (2) M6*20 Bolts **AA** and two (2) M6 Flat Washers **DD** each.


[AA] x 16
[DD] x 16




STEP 25 To complete the roof, attach Roof Plates in this order starting on the short side of the gazebo: **N12**, **N13**, **N12**, **N9**, **N9**, and **N13**. Repeat around the other side to add all panels. Use one (1) M6*20 Bolts **AA**, and one (1) M6 Flat Washers **DD** in each hole.




STEP 26 On the edges of the roof plate, attach Roof Rib Covers 2 **M2** using two (2) M6*45 Bolts **BB**, two (2) M6 Flat Washers **DD**, and two (2) M6 sealant washers **EE**.



STEP 27 Attach Roof Rib Cover 3 **M3** over the top of the gazebo using two (2) M6*45 Bolts **BB** and two (2) M6 Flat Washers **DD**.




STEP 28 To complete the roof, attach Roof Plates in this order starting on the short side of the gazebo: **N6**, **N4**, **N2**, **N3**, **N5**, **N7**, **N6**, **N4**, **N2**, **N1**, **N1**, **N3**, **N5**, and **N7**. Repeat around the other side to add all panels. Use one (1) Plastic Clip **GG** in each upper hole. Use one (1) M6*20 Bolts **AA** and one (1) M6 Flat Washers **DD** in each bottom hole.



- AA** x 64
- DD** x 64
- GG** x 16


STEP 29 Cover corner seams of the roof using four (4) Roof Rib Covers 1s **M1** secured with two (2) M6*45 Bolts **BB**, two (2) M6 Flat Washers **DD**, and two (2) M6 sealant washers **EE** each.

- BB** x 8
- DD** x 8
- EE** x 8




STEP 30 Insert two (2) M4*20 Bolts [CC] into each post, but do not tighten completely. Hang one (1) Light [Q] from each set of M4*20 Bolts [CC].

[CC] x 8




STEP 31 Hang all 56 Rings [LL] to the mosquito net [S]. Hang the mosquito net [S] around the gazebo on the rings.

[LL] x 56





STEP 32 Use two (2) Concrete Anchors [FF] in each Foot Base [B] to secure the gazebo to the ground. Slide Foot Covers [C] down to the bottom of the posts.

[FF] x 8



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 32, on page 14 in the assembly instructions is not properly completed, this will void the warranty.

⚠ WARNING! If your gazebo is not properly anchored, damage could occur. It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.

WOOD	CONCRETE
	
<p>Anchors should be drilled into joists or reinforced blocking (not only deck boards).</p>  <p>Recommended Hardware: Expansion Bolt</p>	<p>Pre-drill holes for appropriately sized concrete anchors.</p>  <p>Recommended Hardware: Expansion Bolt</p>

If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

⚠ CAUTION
DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
 - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
 - As load bearing support for a building, structure, heavy objects or swings.
 - Used in structures that trap wind, rain or snow that would create extra load on the product.
 - Accumulated snow must be removed from roof.
 - DO NOT climb or walk on roof for any reason.

LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

