

MODEL:IG10600047-1111N



OWNER'S MANUAL

Tranquil Grove 11' x 11' Cedar Framed Hardtop Pavilion

TABLE OF CONTENTS

ASSEMBLY GUIDE.....	02
USING YOUR PRODUCT.....	04

March 8, 2025

QUESTIONS?



E-mail: support@modernshade.org
























Toll Free: 1-888-666-3070




















Mon-Fri: 9am---5pm PST.

ASSEMBLY GUIDE

PARTS LIST

A1 Post 1 (4 pieces) 	B Foot Base (4 pieces) 	C Foot Cover (4 pieces) 	D3 Cross Beam 3 (4 pieces) 	D4 Cross Beam 4 (4 pieces) 	E1 Support Bracket 1 (4 pieces) 
P0010000702	P0030000302	P0020000302	P0040001702	P0040001802	P0050000502
E2 Support Bracket 2 (4 pieces) 	F1 Roof Rib 1 (4 pieces) 	F2 Roof Rib 2 (4 pieces) 	G Middle Cross Beam (4 pieces) 	H1 Mosquito Net Rod 1 (4 pieces) 	H2 Mosquito Net Rod 2 (4 pieces) 
P0050000602	P0070001501	P0070001601	P0080001201	P0100001002	P0100001102
J1 Roof Support 1 (8 pieces) 	J2 Roof Support 2 (8 pieces) 	J3 Roof Support 3 (4 pieces) 	K1 Roof Border 1 (4 pieces) 	K2 Roof Border 2 (4 pieces) 	L Roof Top Border (4 pieces) 
P0090008201	P0090008301	P0090008401	P0090008501	P0090008601	P0150000501
M1 Connector 1 (4 pieces) 	M2 Connector 2 (4 pieces) 	M3 Connector 3 (1 piece) 	M4 Connector 4 (4 pieces) 	M5 Connector 5 (16 pieces) 	N1 Roof Rib Cover 1 (4 pieces) 
P0060006001	P0060006101	P0060006201	P0110000703	P0060000604	P0120002801
N2 Roof Rib Cover 2 (4 pieces) 	N3 Roof Rib Cover 3 (1 piece) 	P1 Roof Plate 1 (4 pieces) 	P2 Roof Plate 2 (4 pieces) 	P3 Roof Plate 3 (4 pieces) 	P4 Roof Plate 4 (4 pieces) 
P0120002901	P0120003001	P0130003701	P0130003801	P0130003901	P0130004001
P5 Roof Plate 5 (4 pieces) 	P6 Roof Plate 6 (4 pieces) 	P7 Roof Plate 7 (4 pieces) 	P8 Roof Plate 8 (4 pieces) 	Q Hook (1 piece) 	
P0130004101	P0130004201	P0130004301	P0130004401	P1000000100	

HARDWARE

<p>AA Self-tapping Bolt M5*25 (88+4 pieces)</p>  <p>H0008008098</p>	<p>BB Self-tapping Bolt M8*35 (32+2 pieces)</p>  <p>H0008008099</p>	<p>CC Self-tapping Bolt M10*65 (8+1 pieces)</p>  <p>H0008008100</p>	<p>DD Bolt M6*20 (156+8 pieces)</p>  <p>H0008008036</p>	<p>EE Bolt M6*15 (64+2 pieces)</p>  <p>H0008008001</p>	<p>FF Bolt M6*45 (8+1 pieces)</p>  <p>H0008008016</p>
<p>GG Bolt M6*35 (4+1 pieces)</p>  <p>H0008008116</p>	<p>HH Bolt M8*30 (16+1 pieces)</p>  <p>H0008008139</p>	<p>JJ Bolt M10*160 (8+1 pieces)</p>  <p>H0008008140</p>	<p>KK Anti-slip Screw Nut M10 (8+1 pieces)</p>  <p>H0008008126</p>	<p>LL Four-claw Screw Nut M8*8 (16+1 pieces)</p>  <p>H0008008127</p>	<p>MM M6 Flat washer (232+11 pieces)</p>  <p>H0008008056</p>
<p>NN M8 Flat washer (48+2 pieces)</p>  <p>H0008008057</p>	<p>PP M10 Flat washer (24+2 pieces)</p>  <p>H0008008058</p>	<p>QQ M6 Sealant Washer (12+1 pieces)</p>  <p>H0008008060</p>	<p>RR Double Open End Wrench M6/M8 (2 pieces)</p>  <p>H0008008062</p>	<p>SS Wrench M10 (2 pieces)</p>  <p>H0008008128</p>	<p>TT M6 Allen Key (2 pieces)</p>  <p>H0008008073</p>
<p>UU M8 Allen Key (2 pieces)</p>  <p>H0008008129</p>	<p>VV Concrete Anchor M6*60 (8 pieces)</p>  <p>H0008008095</p>				

IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

SAFETY ALERT KEY

⚠ DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

⚠ WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

⚠ CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

NOTICE

Indicates information considered important, but not hazard-related (e.g.messages related to property damage).

ASSEMBLY INSTRUCTIONS


- Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

⚠ CAUTION

Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

STEP 01 Slide foot cover **C** and foot base **B** onto post **A1**. Use four (4) **[AA]** bolts to attach foot base **B** to post **A1**. Repeat with the other three (3) posts **A1**.

[AA] x 16




- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. Tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.

STEP 02 Attach four (4) **[LL]** screw nuts to cross beam **D4**. Use four (4) **[HH]** bolts and four (4) **[NN]** flat washers to attach cross beam **D3** to connector **M2** and cross beam **D4**.

[HH] x 16


[NN] x 16

[LL] x 16




STEP 03 Use ten (10) **[AA]** bolts to attach one (1) connector **M4** to cross beam assembly **D3 D4**. Repeat with the other three (3) connector **M4**.

[AA] x 40




STEP 04 Attach the cross beam assembly **D3 D4** to left **A1** post using one (1) **JJ** bolt, two (2) **PP** washers, and one (1) **KK** nut in the top hole, and one (1) **CC** bolt and **PP** washer in the bottom hole. Attach the cross beam assembly to right **A1** post using one (1) **CC** bolt and **PP** washer in the top hole, and one (1) **JJ** bolt, two (2) **PP** washers, and one (1) **KK** nut in the bottom hole. Repeat with the other three (3) assemblies.

- [CC]** x 8
- [JJ]** x 8
- [KK]** x 8
- [PP]** x 24



STEP 05 CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
ONCE SQUARE, TIGHTEN ALL HARDWARE.




STEP 06 Use four (4) **[BB]** bolts and four (4) **[NN]** flat washers to attach one (1) support bracket **[E1]** to cross beam and post on left corner of each side. Repeat with the other three (3) support brackets **[E1]**.

Use four (4) **[BB]** bolts and four (4) **[NN]** flat washers to attach one (1) support bracket **[E2]** to cross beam and post on right corner of each side. Repeat with the other three (3) support brackets **[E2]**.


[BB] x 32

[NN] x 32



STEP 07 Use eight (8) **[AA]** bolts to attach one (1) connector **[M1]** to post **[A1]**. Repeat with the other three (3) connector **[M1]**.


[AA] x 32



STEP 08 Use two (2) **[DD]** bolts and two (2) **[MM]** flat washers to attach roof rib **[F1]** to connector **[M1]**. Repeat with the other three (3) roof rib **[F1]**.

[DD] x 8


[MM] x 8



STEP 09 Attach four (4) roof top borders **[L]** together, securing with one (1) **[DD]** bolt and one (1) **[MM]** flat washer at each corner.


[DD] x 4

[MM] x 4




STEP 10 Use two (2) [DD] bolts and two (2) [MM] flat washers to attach one (1) roof rib [F2] to the corner of roof top border assembly. Repeat with the other three (3) roof ribs [F2].

[DD] x 8
[MM] x 8




STEP 11 Use four (4) [DD] bolts and four (4) [MM] flat washers to attach connector [M3] to roof ribs [F2].

[DD] x 4
[MM] x 4




STEP 12 Use two (2) [DD] bolts and two (2) [MM] flat washers to attach each corner of roof top border assembly to roof ribs [F1].

[DD] x 8
[MM] x 8




STEP 13 Use one (1) [DD] bolt and one (1) [MM] flat washer to attach one (1) connector [M5] to roof rib [F1]. Repeat with the other two (2) connectors [M5] on one (1) [F1]. Repeat with the other three (3) roof ribs [F1].


[DD] x 16
[MM] x 16




STEP 14 Use two (2) [DD] bolts and two (2) [MM] flat washers to attach one end of middle cross beam **G** to connector **M2**. Use two (2) [DD] bolts and two (2) [MM] flat washers to attach the other end of middle cross beam **G** to roof top borders **L**. Repeat with the other three (3) **G**.




STEP 15 Use two (2) [DD] bolts and two (2) [MM] flat washers to attach one (1) mosquito net rod **H1** to roof rib **F1** and middle cross beam **G**. Repeat with the other three (3) **H1** and four (4) **H2**.




STEP 16 Use two (2) [EE] bolts and two (2) [MM] flat washers to attach one (1) roof support **J3** to connectors **M5** on roof ribs **F2**. Repeat with the other three (3) roof supports **J3**.




STEP 17 Use two (2) [EE] bolts and two (2) [MM] flat washers to attach one (1) roof support **J2** to connectors **M5** on roof rib **F1** and middle cross beam **G**. Repeat with the other seven (7) roof supports **J2**.




STEP 18 Use two (2) [EE] bolts and two (2) [MM] flat washers to attach one (1) roof support [J1] to connectors [M5] on roof rib [F1] and middle cross beam [G]. Repeat with the other seven (7) roof supports [J1].




STEP 19 Use two (2) [DD] bolts and two (2) [MM] flat washers to attach one (1) roof border [K1] to connectors [M5] on roof rib [F1] and middle cross beam [G]. Repeat with the other three (3) [K1] and four (4) [K2].




STEP 20 DO NOT tighten the bolts completely until all the bolts and washers are properly installed. Use one (1) [EE] bolt and one (1) [MM] flat washer to attach each hole of roof plates [P8] to the top frame.




STEP 21 Use one (1) [GG], one (1) [MM] flat washers and one (1) [QQ] sealant washer to attach one (1) roof rib cover [N2] to the top roof. Repeat with the other three (3) roof rib covers [N2].



STEP 22 Attach hook **Q** to roof rib cover **N3** through connector **M3**.




STEP 23 DO NOT tighten the bolts completely until all the bolts and washers are properly installed. Slide roof plates into roof top border **L**. Overlap the edges of the adjacent roof plates together. Use one (1) **[DD]** bolt and one (1) **[MM]** flat washer to attach each hole of roof plates **P1**, **P3**, **P5**, **P7**, **P6**, **P4**, **P2** to the frame.




STEP 24 Slide roof rib cover **N1** into **N2**. Use two (2) **[FF]**, two (2) **[MM]** flat washers and two (2) **[QQ]** sealant washers to attach one (1) roof rib cover **N1** to the roof. Repeat with the other three (3) roof rib covers **N1**.

[FF] x 8
[MM] x 8
[QQ] x 8




STEP 25 Use two (2) **[VV]** expansion bolts to anchor each post foot base **B**. please make sure the expansion bolts are fully anchored.

[VV] x 8



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 25, on page 11 in the assembly instructions is not properly completed, this will void the warranty.

WARNING! If your gazebo is not properly anchored, damage could occur. It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.



If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

CAUTION

DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
 - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
 - As load bearing support for a building, structure, heavy objects or swings.
 - Used in structures that trap wind, rain or snow that would create extra load on the product.
 - Accumulated snow must be removed from roof.
 - DO NOT climb or walk on roof for any reason.

LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

