


**MODEL: IG10600148C-1224**



OWNER'S MANUAL

# The Horizon 12'x24' Hard Top Gazebo W/ Solar LED light

## TABLE OF CONTENTS

**ASSEMBLY GUIDE**.....02  
**USING YOUR PRODUCT**.....05

April 28, 2025

## QUESTIONS?





























 **E-mail:** [support@modernshade.org](mailto:support@modernshade.org)
























 **Toll Free:** 1-888-666-3070


 **Mon-Fri:** 9am---5pm PST.

# ASSEMBLY GUIDE









## PARTS LIST

<b>A1</b> Post 1 (2 pieces) 	<b>A2</b> Post 2 (2 pieces) 	<b>A4</b> Post 4 (2 pieces) 	<b>B</b> Foot Base (6 pieces) 	<b>C</b> Foot Cover (6 pieces) 	<b>D1</b> Cross Beam 1 (2 pieces) 
P0010000301	P0010000401	P0010006401	P0030000201	P0020000201	P0040001301
<b>D2</b> Cross Beam 2 (2 pieces) 	<b>D6</b> Cross Beam 6 (2 pieces) 	<b>D7</b> Cross Beam 7 (2 pieces) 	<b>D8</b> Cross Beam 8 (2 pieces) 	<b>D9</b> Cross Beam 9 (2 pieces) 	<b>E1</b> Roof Rib 1 (4 pieces) 
P0040001401	P0040014801	P0040014901	P0040015001	P0040015101	P0070000201
<b>E2</b> Roof Rib 2 (4 pieces) 	<b>F1</b> Middle Cross Beam 1 (6 pieces) 	<b>F3</b> Middle Cross Beam 3 (12 pieces) 	<b>G1</b> Support Bracket 1 (6 pieces) 	<b>G2</b> Support Bracket 2 (6 pieces) 	<b>H3</b> Mosquito Net Rod 3 (4 pieces) 
P0070000301	P0080000101	P0080002001	P0050000101	P0050000201	P0100000401
<b>H5</b> Mosquito Net Rod 5 (8 pieces) 	<b>J1</b> Top Beam 1 (4 pieces) 	<b>J4</b> Top Beam 4 (4 pieces) 	<b>J5</b> Top Beam 5 (2 pieces) 	<b>J6</b> Top Beam 6 (4 pieces) 	<b>J7</b> Top Beam 7 (14 pieces) 
P0100003101	P0090000101	P0090000401	P0090000501	P0090015501	P0090015601
<b>J8</b> Top Beam 8 (10 pieces) 	<b>K5</b> Roof Support 5 (2 pieces) 	<b>K15</b> Roof Support 15 (2 pieces) 	<b>K16</b> Roof Support 16 (2 pieces) 	<b>K17</b> Roof Support 17 (10 pieces) 	<b>K18</b> Roof Support 18 (2 pieces) 
P0090015701	P0090001001	P0090015801	P0090015901	P0090016001	P0090016101
<b>K19</b> Roof Support 19 (2 pieces) 	<b>K20</b> Roof Support 20 (2 pieces) 	<b>K21</b> Roof Support 21 (10 pieces) 	<b>K22</b> Roof Support 22 (2 pieces) 	<b>K23</b> Roof Support 23 (2 pieces) 	<b>K24</b> Roof Support 24 (2 pieces) 
P0090016201	P0090016301	P0090016401	P0090016501	P0090016601	P0090016701

<p><b>K25</b> Roof Support 25 (2 pieces)</p> 	<p><b>K26</b> Roof Support 26 (14 pieces)</p> 	<p><b>L2</b> Connector 2 (6 pieces)</p> 	<p><b>L3</b> Connector 3 (4 pieces)</p> 	<p><b>L4</b> Connector 4 (12 pieces)</p> 	<p><b>L6</b> Connector 6 (36 pieces)</p> 
P0090016801	P0090016901	P0110000201	P0110000401	P0060000301	P0060000501
<p><b>L7</b> Connector 7 (16 pieces)</p> 	<p><b>L9</b> Connector 9 (18 pieces)</p> 	<p><b>L11</b> Connector 11 (2 pieces)</p> 	<p><b>L12</b> Connector 12 (4 pieces)</p> 	<p><b>L13</b> Connector 13 (2 pieces)</p> 	<p><b>L14</b> Connector 14 (6 pieces)</p> 
P0060000601	P0110000501	P0060009801	P0060009901	P0110004901	P0060010001
<p><b>L15</b> Connector 15 (4 pieces)</p> 	<p><b>L16</b> Connector 16 (24 pieces)</p> 	<p><b>L17</b> Connector 17 (12 pieces)</p> 	<p><b>L18</b> Connector 18 (2 pieces)</p> 	<p><b>L19</b> Connector 19 (1 piece)</p> 	<p><b>M1</b> Roof Rib Cover 1 (4 pieces)</p> 
P0060010101	P0060010201	P0110005001	P0060008102	P0060008202	P0120000101
<p><b>M2</b> Roof Rib Cover 2 (4 pieces)</p> 	<p><b>M5</b> Roof Cover 5 (1 piece)</p> 	<p><b>M6</b> Roof Cover 6 (1 piece)</p> 	<p><b>N1</b> Roof Plate 1 (16 pieces)</p> 	<p><b>N2</b> Roof Plate 2 (4 pieces)</p> 	<p><b>N3</b> Roof Plate 3 (4 pieces)</p> 
P0120000301	P0120004301	P0120004401	P0130000101	P0130000201	P0130000301
<p><b>N4</b> Roof Plate 4 (4 pieces)</p> 	<p><b>N5</b> Roof Plate 5 (4 pieces)</p> 	<p><b>N6</b> Roof Plate 6 (4 pieces)</p> 	<p><b>N7</b> Roof Plate 7 (4 pieces)</p> 	<p><b>N8</b> Roof Plate 8 (2 pieces)</p> 	<p><b>N9</b> Roof Plate 9 (10 pieces)</p> 
P0130000401	P0130000501	P0130000601	P0130000701	P0130000801	P0130000901
<p><b>N10</b> Roof Plate 10 (2 pieces)</p> 	<p><b>N11</b> Roof Plate 11 (2 pieces)</p> 	<p><b>N12</b> Roof Plate 12 (4 pieces)</p> 	<p><b>N13</b> Roof Plate 13 (4 pieces)</p> 	<p><b>P</b> Hook (1 piece)</p> 	<p><b>Q</b> Light (4 pieces)</p> 
P0130001101	P0130001201	P0130001301	P0130001401	P1000000100	P1000000200

<b>R1</b> Middle Cross Beam Support 1 (6 pieces)	<b>S</b> Privacy Curtain (1 piece)	<b>T</b> Mosquito Netting (1 piece)
		
P0050007301	P0210001801	P0220002201

## HARDWARE

<b>AA</b> Bolt M6*20 (564+28 pieces)	<b>BB</b> Bolt M6*45 (86+5 pieces)	<b>CC</b> Bolt M4*20 (8+1 pieces)	<b>DD</b> M6 Flat washer (750+22 pieces)	<b>EE</b> M6 Sealant Washer (16+2 pieces)	<b>FF</b> Concrete Anchor M6*60 (12 pieces)
					
H0008008036	H0008008016	H0008008067	H0008008057	H0008008060	H0008008095
<b>GG</b> Plastic Clip (40+4 pieces)	<b>HH</b> Double Open End Wrench M6/M4 (2 pieces)	<b>JJ</b> M6 Allen Key (2 pieces)	<b>KK</b> Bolt M6*15 (100+6 pieces)	<b>LL</b> Rings (144+8 pieces)	
					
H0008008071	H0008008072	H0008008073	H0008008001	H0008008113	

### IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

### SAFETY ALERT KEY

#### DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

#### WARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

#### CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

#### NOTICE

Indicates information considered important, but not hazard-related (e.g. messages related to property damage).


# ASSEMBLY INSTRUCTIONS

- Please carefully unpack each of the components and hardware. check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

**⚠ CAUTION**


Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

**STEP 01** Slide foot base **B** and foot cover **C** onto post **A1**. Use two (2) **AA** bolts and two (2) **DD** flat washers to attach foot base **B** to post **A1**. Repeat with the other post **A1**, two (2) **A2** and two (2) posts **A4**.




- For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- Follow step by step instructions, and follow all safety warnings provided with your tools.
- DO NOT tighten screws until all the screws and washers are properly installed. Tighten screws securely, do not over tighten.
- Gazebo should not be used in inclement weather and high winds.


**STEP 02** Slide cross beam **D6** and **D8** onto connector **L12**. Slide connector **L2** over the connection. Use four (4) **AA** bolts and four (4) **DD** flat washers to secure the connection. Repeat to make a second assembly.



**STEP 03** Slide cross beam **D7** and **D9** onto connector **L12**. Slide connector **L2** over the connection. Use four (4) **AA** bolts and four (4) **DD** flat washers to secure the connection. Repeat to make a second assembly.





**STEP 04** Slide cross beam **D1** and **D2** onto connector **L11**. Slide connector **L2** over the connection. Use five (5) **AA** bolts and five (5) **DD** flat washers to secure the connection. Repeat to make a second assembly.




**STEP 05** Use two (2) [AA] bolts and two (2) [DD] flat washers to attach each end of cross beam assembly [D6] [D8] and [D7] [D9] to post [A1], [A2] and [A4]. Repeat to make a second assembly.

**STEP 06** Use two (2) [AA] bolts and two (2) [DD] flat washers to attach each end of cross beam assembly [D1] [D2] to post [A1] and [A2]. Repeat with the other cross beam assembly [D1] [D2].




**STEP 07 CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.**




**STEP 08** Use two (2) **[BB]** bolts, two (2) **[AA]** bolts and four (4) **[DD]** flat washers to attach one (1) support bracket **[G1]** to the left corner of each side. Repeat with the other five (5) **[G1]**.  
 Use two (2) **[BB]** bolts, two (2) **[AA]** bolts and four (4) **[DD]** flat washers to attach one (1) support bracket **[G2]** to the right corner of each side. Repeat with the other five (5) **[G2]**.

- [AA]** x 24
- [BB]** x 24
- [DD]** x 48




**STEP 09** Use three (3) **[AA]** bolts and three (3) **[DD]** flat washers to attach one (1) connector **[L15]** to post **[A1]**. Repeat with the other three (3) connector **[L15]** to post **[A1]** and posts **[A2]**.  
 Use two (2) **[AA]** bolts and two (2) **[DD]** flat washers to attach one (1) connector **[L3]** to post **[A1]**. Repeat with the other three (3) connector **[L3]** to post **[A1]** and posts **[A2]**.

- [AA]** x 20
- [DD]** x 20



**STEP 10** Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) connector [L13] to cross beam [D8] and [D9]. Repeat to make a second assembly.


[AA] x 4  
[DD] x 4



**STEP 11** Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) mosquito net rod [H3] to short side of gazebo. Repeat with the other three (3) [H3].

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) mosquito net rod [H5] to long side of gazebo. Repeat with the other seven (7) [H5].


[AA] x 24  
[DD] x 24



**STEP 12** Use four (4) [AA] bolts and four (4) [DD] flat washers to attach one (1) roof rib [E1] to connector [L15] on the post. Repeat with the other three (3) roof ribs [E1].

[AA] x 16


[DD] x 16



**STEP 13** Slide two (2) connectors [L18] over connector [L19], securing with twelve (12) [AA] bolts and twelve (12) [DD] flat washers on the sides. Use four (4) [AA] bolts and four (4) [DD] flat washers to secure the bottom of connectors [L18]. Attach hook [P] to connectors [L18].


[AA] x 16

[DD] x 16




**STEP 14** Slide roof rib **E2** into **E1**. Use four (4) **AA** bolts and four (4) **DD** flat washers to attach connectors **L18** to four (4) **E2**.

**AA** x 4  
**DD** x 4




**STEP 15** Use two (2) **AA** bolts and two (2) **DD** flat washers to attach one (1) connector **L14** to middle cross beam **F1**. Repeat with the other five (5) **L14** to **F1**.  
Use two (2) **AA** bolts and two (2) **DD** flat washers to attach one (1) connector **L4** to middle cross beam **F3**. Repeat with the other eleven (11) **L4** to **F3**.

**AA** x 36  
**DD** x 36




**STEP 16** Use two (2) [AA] bolts and two (2) [DD] flat washers to attach connector [L4] on middle cross beam [F3] to cross beam [D8] and [D9]. Use one (1) [AA] bolt and one (1) [DD] flat washer to attach the other end of middle cross beam [F3] to connector [L18]. Repeat with the other eleven (11) [F3].



[AA] x 36  
[DD] x 36

**STEP 17** Use six (6) [BB] bolts and six (6) [DD] flat washers to attach one (1) middle cross beam support [R1] to middle cross beam [F3]. Use one (1) [BB] bolt and one (1) [DD] flat washer to attach the top of middle cross beam support [R1] to connector [L18]. Repeat with the other [R1].




[BB] x 38  
[DD] x 38

**STEP 18** Use two (2) [KK] bolts and two (2) [DD] flat washers to attach one (1) roof support [K17] to middle cross beam [F3]. Repeat with the other nine (9) [K17].

Use one (1) [KK] bolt, one (1) [AA] bolt and two (2) [DD] flat washers to attach one (1) roof support [K15] to middle cross beam [F3] and roof rib [E1]. Repeat with the other [K15] and two (2) [K16].

Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) roof support [K5] to roof ribs [E1]. Repeat with the other [K5].


- [AA] x 8
- [KK] x 24
- [DD] x 32



**STEP 19** Use two (2) [AA] bolts and two (2) [DD] flat washers to attach connector [L14] on middle cross beam [F1] to cross beam [D1 / D2 / D6 / D7]. Use one (1) [AA] bolt and one (1) [DD] flat washer to attach the other end of middle cross beam [F1] to roof support [K15 / K16 / K5].


Repeat with the other five (5) [F1].

- [AA] x 18
- [DD] x 18




**STEP 20** Use one (1) [AA] bolt and one (1) [DD] flat washer to attach one (1) connector [L7] to roof rib [E1] / [E2]. Repeat with the other fifteen (15) connectors [L7] to roof rib [E1] / [E2]. Please pay attention to the direction of [L7].

[AA] x 16  
[DD] x 16




**STEP 21** Create a top beam assembly by sliding the parts together in this order: [L6], [J8], [L6], [J8], [L6], [J8], [L6], [J8], [L6], [J8] and [L6]. Secure using [KK] bolts and [DD] washers. Repeat the process to make a second assembly.


[KK] x 20  
[DD] x 20



**STEP 22** Create a roof support assembly by sliding the parts together in this order: **L6**, **K21**, **L6**, **K21**, **L6**, **K21**, **L6**, **K21**, **L6**, **K21** and **L6**. Repeat the process to make a second assembly.




**STEP 23** Use six (6) **AA** bolts and six (6) **DD** flat washers to attach top beam assembly **J8** **L6** to middle cross beams **F3**. Repeat with the other assembly.






**STEP 24** Use six (6) **AA** bolts and six (6) **DD** flat washers to attach roof support assembly **K21** **L6** to middle cross beams **F3**. Repeat with the other assembly.

**AA** x 12  
**DD** x 12






**STEP 25** Slide top beam **J4** onto connector **L6**. Use two (2) **[KK]** bolts and two (2) **[DD]** flat washers to attach one (1) top beam **J4** to middle cross beam **F3** and connector **L7** on roof rib **E1 / E2**. Repeat with the other three (3) **J4**. Use two (2) **[KK]** bolts and two (2) **[DD]** flat washers to attach one (1) top beam **J5** to connectors **L7** on roof rib **E1 / E2**. Repeat with the other **J5**.

**[KK]** x 12  
**[DD]** x 12




**STEP 26** Slide roof support **K19** to connector **L6**. Use one (1) **[AA]** bolt and one (1) **[DD]** flat washer to attach one (1) roof support **K19** to connector **L7** on roof rib **E1 / E2**. Repeat with the other **K19** and two (2) **K20**. Use two (2) **[AA]** bolts and two (2) **[DD]** flat washers to attach one (1) roof support **K18** to connectors **L7** on roof rib **E1 / E2**. Repeat with the other **K18**.

**[AA]** x 8  
**[DD]** x 8



**STEP 27** Use two (2) [AA] bolts and two (2) [DD] flat washers to attach one (1) connector [L9] to the connection of [K19]/[K20]/[K21]. Repeat with the other eleven (11) [L19].

[AA] x 24  
[DD] x 24




**STEP 28** DO NOT tighten the bolts completely until all the bolts and washers are properly installed.

Overlap the edges of the adjacent roof plates together.

Use one (1) [AA] bolt and one (1) [DD] flat washer to attach each hole of roof plates [N9], [N10], [N11], [N12] and [N13] to the long side of frame.


Use one (1) [AA] bolt and one (1) [DD] flat washer to attach each hole of roof plates [N8], [N12], [N13] to the short side of frame.

[AA] x 56  
[DD] x 56




**STEP 29** Use two (2) **[BB]**, two (2) **[DD]** flat washers and two (2) **[EE]** sealant washers to attach one (1) roof rib cover **[M2]** to the top roof. Repeat with the other three (3) roof rib covers **[M2]**.

- [BB]** x 8
- [DD]** x 8
- [EE]** x 8




**STEP 30** Use eight (8) **[BB]** bolts and eight (8) **[DD]** flat washers to attach roof cover **[M5]** and **[M6]** to connectors **[L18]**.

- [BB]** x 8
- [DD]** x 8



**STEP 31** Create a top beam assembly by sliding the parts together in this order: **[L6, J7, L16, J7]** and **[L6]**. Secure using **[KK]** bolts and **[DD]** washers. Repeat the process to make a second assembly.


- [KK]** x 28
- [DD]** x 28





**STEP 34** Use eight (8) [AA] bolts and eight (8) [DD] flat washers to attach roof support assembly [K26] [L6] to middle cross beams [F3] and [F1]. Repeat with the other assembly.

[AA] x 16  
[DD] x 16




**STEP 35** Create a top beam assembly by sliding the parts together in this order: [J1], [L6] and [J1]. Secure using [KK] bolts and [DD] washers. Repeat the process to make a second assembly.

Slide top beam [J6] onto connector [L6]. Use two (2) [KK] bolts and two (2) [DD] flat washers to attach one (1) top beam [J6] to middle cross beam [F1] and connector [L7] on roof rib [E1] / [E2]. Repeat with the other three (3) [J6].

Use two (2) [KK] bolts, one (1) [AA] bolt and three (3) [DD] flat washers to attach one (1) top beam assembly [J1] to connectors [L7] on roof rib [E1] / [E2] and middle cross beam [F1]. Repeat with the other top beam assembly [J1].


[AA] x 2  
[KK] x 16  
[DD] x 18



**STEP 36** Create a roof support assembly by sliding the parts together in this order: **K23**, **L6** and **K22**. Repeat the process to make a second assembly.

Slide roof support **K24** onto connector **L6**. Use one (1) **AA** bolt and one (1) **DD** flat washer to attach one (1) roof support **K24** to connector **L7** on roof rib **E1 / E2**. Repeat with the other **K24** and two (2) **K25**.


Use three (3) **AA** bolts and three (3) **DD** flat washers to attach one (1) roof support assembly **K23 / K22** to connectors **L7** on roof rib **E1 / E2** and middle cross beam **F1**. Repeat with the other roof support assembly **K23 / K22**.



**STEP 37** Use two (2) **AA** bolts and two (2) **DD** flat washers to attach one (1) connector **L9** to the connection of roof support **K22** and **K23**. Repeat with the other **L9**.

Use two (2) **AA** bolts and two (2) **DD** flat washers to attach one (1) connector **L9** to the connection of roof support **K24** and **K26**. Repeat with the other three (3) **L9**.

Use two (2) **AA** bolts and two (2) **DD** flat washers to attach one (1) connector **L17** to the connection of roof support **K26**. Repeat with the other eleven (11) **L17**.




**STEP 38** DO NOT tighten the bolts completely until all the bolts and washers are properly installed.

Overlap the edges of the adjacent roof plates together.

Use one (1) [GG] plastic clip to attach each top hole of roof plates [N1], [N2], [N3], [N4], [N5], [N6] and [N7] to roof support [K5], [K15], [K16] and [K17].

Use one (1) [AA] bolt and one (1) [DD] flat washer to attach each bottom hole of roof plates [N1], [N2], [N3], [N4], [N5], [N6] and [N7] to the long side of frame.

Use one (1) [AA] bolt and one (1) [DD] flat washer to attach each bottom hole of roof plates [N1], [N2], [N3], [N4], [N5], [N6] and [N7] to the short side of frame.




**STEP 39** Use two (2) [BB], two (2) [DD] flat washers and two (2) [EE] sealant washers to attach one (1) roof rib cover [M1] to the roof rib [E1]. Repeat with the other three (3) roof rib covers [M1].


[BB] x 8

[DD] x 8


[EE] x 8




**STEP 40** Insert two (2) [CC] bolts into each corner post. Don't insert bolts entirely. Attach one (1) light [Q] onto the bolts.




**STEP 41** Use seventy-two (72) rings [LL] to attach privacy curtain [S] to the gazebo as needed.



**STEP 42** Use seventy-two (72) rings [LL] to attach mosquito netting [T] to the gazebo as needed.





**STEP 43** Use two (2) [FF] expansion bolts to anchor each post foot base [B]. please make sure the expansion bolts are fully anchored. We recommend using a 3/8 inch drill bit when installing the included expansion bolts.



Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 43, on page 22 in the assembly instructions is not properly completed, this will void the warranty.

**⚠ WARNING! If your gazebo is not properly anchored, damage could occur.** It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.

WOOD	CONCRETE
	
<p>Anchors should be drilled into joists or reinforced blocking (not only deck boards).</p>  <p>Recommended Hardware: Expansion Bolt</p>	<p>Pre-drill holes for appropriately sized concrete anchors.</p>  <p>Recommended Hardware: Expansion Bolt</p>

If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

**⚠ CAUTION**  
DO NOT climb or walk on roof for any reason.

- Our components are intended for privacy, decorative and ornamental use only.
- Product is NOT INTENDED for the following:
  - A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
  - As load bearing support for a building, structure, heavy objects or swings.
  - Used in structures that trap wind, rain or snow that would create extra load on the product.
  - Accumulated snow must be removed from roof.
  - DO NOT climb or walk on roof for any reason.

### LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- Cosmetic defects which DO NOT affect performance;
- Normal wear and tear;
- Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- Improper assembly, installation, or use;
- Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

